

WEST[Generate Collection](#)**Search Results - Record(s) 1 through 5 of 5 returned.**☐ 1. Document ID: US 6132745 A

L15: Entry 1 of 5

File: USPT

Oct 17, 2000

US-PAT-NO: 6132745

DOCUMENT-IDENTIFIER: US 6132745 A

TITLE: Cosmetic compositions comprising nanopigments

DATE-ISSUED: October 17, 2000

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Marchi-Lemann; Patricia	Paris	N/A	N/A	FRX
Collette; Annick	Choisy le Roi	N/A	N/A	FRX
Mellul; Myriam	L'Hay-les-Roses	N/A	N/A	FRX

US-CL-CURRENT: 424/401; 424/59, 424/63, 424/64, 424/69, 424/70.7, 514/937,
514/938

Full	Title	Citation	Front	Review	Classification	Date	Reference	Claims	KWC	Draw Desc	Image
----------------------	-----------------------	--------------------------	-----------------------	------------------------	--------------------------------	----------------------	---------------------------	------------------------	---------------------	---------------------------	-----------------------

☐ 2. Document ID: US 6004567 A

L15: Entry 2 of 5

File: USPT

Dec 21, 1999

US-PAT-NO: 6004567

DOCUMENT-IDENTIFIER: US 6004567 A

TITLE: Cosmetic compositions comprising nanopigments

DATE-ISSUED: December 21, 1999

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Marchi-Lemann; Patricia	Paris	N/A	N/A	FRX
Collette; Annick	Choisy le Roi	N/A	N/A	FRX
Mellul; Myriam	L'Hay-les-Roses	N/A	N/A	FRX

US-CL-CURRENT: 424/401; 424/59, 424/63, 424/64, 424/69, 424/70.7, 514/937,
514/938

Full	Title	Citation	Front	Review	Classification	Date	Reference	Claims	KWC	Draw Desc	Image
----------------------	-----------------------	--------------------------	-----------------------	------------------------	--------------------------------	----------------------	---------------------------	------------------------	---------------------	---------------------------	-----------------------

☐ 3. Document ID: US 5356617 A

L15: Entry 3 of 5

File: USPT

Oct 18, 1994

US-PAT-NO: 5356617

DOCUMENT-IDENTIFIER: US 5356617 A

TITLE: Pigment-material-microsphere complexes and their production

DATE-ISSUED: October 18, 1994

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Schlossman; David S.	W. Orange	NJ	N/A	N/A

US-CL-CURRENT: 424/63; 424/401, 424/64, 424/69, 424/78.03, 428/403, 428/404,
514/770, 514/772.3, 514/844

Full	Title	Citation	Front	Review	Classification	Date	Reference	Claims	KWMC	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	--------	------	-----------	-------

☐ 4. Document ID: US 5314683 A

L15: Entry 4 of 5

File: USPT

May 24, 1994

US-PAT-NO: 5314683

DOCUMENT-IDENTIFIER: US 5314683 A

TITLE: Method of coupling cosmetic materials and cosmetics containing coupled materials

DATE-ISSUED: May 24, 1994

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Schlossman; David S.	Cliffside Park	NJ	07010	N/A

US-CL-CURRENT: 424/63; 424/401, 424/64

Full	Title	Citation	Front	Review	Classification	Date	Reference	Claims	KWMC	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	--------	------	-----------	-------

☐ 5. Document ID: US 5246780 A

L15: Entry 5 of 5

File: USPT

Sep 21, 1993

US-PAT-NO: 5246780

DOCUMENT-IDENTIFIER: US 5246780 A

TITLE: Coated particle for use in cosmetic preparations and method

DATE-ISSUED: September 21, 1993

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Farer; Alan M.	Morganville	NJ	N/A	N/A
Burdzy; Elisa L.	Clifton	NJ	N/A	N/A
Hanna; Fifi	Kearny	NJ	N/A	N/A
Penicnak; A. John	Mountain Lakes	NJ	N/A	N/A

US-CL-CURRENT: 428/404; 424/63, 424/69, 427/215, 427/222, 428/403, 428/405,
428/407, 514/60, 514/770, 514/784, 514/844

Full	Title	Citation	Front	Review	Classification	Date	Reference	Claims	KWC	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	--------	-----	-----------	-------

Generate Collection

Terms	Documents
((Boron adj nitride adj powder) or (ceram adj blanche) or hcst or (tres adj bn) or (wacker\$ adj bnp)) and emulsion and cosmetic	5

Display

10

Documents, starting with Document:

5

Display Format: CIT

Change Format

WEST☐ Generate Collection

L44: Entry 8 of 11

File: USPT

Apr 27, 1993

DOCUMENT-IDENTIFIER: US 5206012 A

TITLE: Combination of hollow microspheres of a thermoplastic synthetic material, hexagonal boron nitride and N-acyl lysine as a homogenization agent for cosmetic compacted powders

ABPL:

A cosmetic ingredient homogenization agent, for use in assisting and improving the homogenization of the cosmetic ingredients of a compacted powder, is a combination of the following three components: x weight percent of hollow microspheres of a thermoplastic synthetic material having a specific mass lower than 0.1 g/cm.^{sup.3} and having a size lower than 30 .mu.m; y weight percent of particles of hexagonal boron nitride; and z weight percent of particles of N-acyl lysine. x, y and z are numbers which vary, respectively, as follows: x: 0.2-30; y: 02.-90; and z: 8-99.78. The sum x+y+z=100. This homogenization agent can be incorporated into a cosmetic composition in the form of a compacted powder in an amount ranging from 1-55, preferably 10-35, percent by weight based on the total weight of the composition.

BSPR:

The invention relates to a cosmetic ingredient homogenization agent for use in the preparation of a cosmetic composition in the form of a compacted powder. This homogenization agent consists of a ternary combination of components which assists and improves the homogenization of the ingredients of the cosmetic compacted powder composition. Specifically this homogenization agent consists of a combination of a thermoplastic synthetic material in the form of hollow microspheres, hexagonal boron nitride particles and an acylated derivative of lysine.

BSPR:

It is known that known cosmetic compositions in the form of powders include numerous ingredients. Their production requires mixing, grinding and sifting operations which are relatively long and energy costly.

BSPR:

The present invention provides a remedy for these disadvantages, thanks to the use, in combination, of hollow microspheres of a thermoplastic synthetic material, hexagonal boron nitride particles and an N-acylated derivative of lysine. Such a combination imparts to the mass of particles, during preparation of the compacted powder, an exceptional fluidity and permits then to reduce production costs in terms of time and energy. Moreover, this combination permits to obtain compacted powders of high quality, having satisfactory properties of compactness and shock resistance, while having pleasing application characteristics.

BSPR:

The use of hollow microspheres of a thermoplastic synthetic material, in free non-compacted powders for makeup and the care of skin, has already been described, and principally in French patent No.86 09289 (publication No. 2600532). The use of hollow microspheres in cosmetic composition powder form has also been described in Japanese patent application 60-18404. However, the hollow microspheres specifically employed, according to this Japanese patent application, have a relatively high specific mass and are thus not appropriate for implementing the present invention.

BSPR:

The use of hexagonal boron nitride particles in cosmetic compositions in powder form has been described in Japanese patent application 62.49247.

BSPR:

The use of talc coated with an acylamino acid in a cosmetic composition, in powder form, containing silica, mica, polyethylene and a particular binder including a combination of polydimethylsiloxane, distearyl malate and pentahydrosqualene has been described in U.S. Pat. No. 4,837,011.

BSPR:

The present invention thus relates to the use, in the preparation of a cosmetic composition in the form of a compacted powder, from 1-55 weight percent, relative to the total weight of the cosmetic compacted composition, of a combination of three components which assists and improves the homogenization of the ingredients making up the cosmetic compacted powder composition, to wit:

BSPR:

y weight percent of hexagonal boron nitride particles and

BSPR:

It is necessary to note that the x, y and z amounts are amounts relative to the three constituents in combination and not the amounts of these three constituents in the cosmetic composition which contains however, other than the three constituents in combination, various components usually present in compositions in the form of compacted powders.

BSPR:

The three components in combination, defined above, represent preferably from 10 to 35 weight percent of the cosmetic compacted powder composition based on the total weight of the said cosmetic composition.

BSPR:

The hexagonal boron nitride particles preferably have a size ranging from 0.1 to 30 .mu.m.

BSPR:

The present invention also relates to a cosmetic composition in the form of a compacted powder comprising from 1 to 55 weight percent and preferably from 10 to 35 weight percent, of the ternary combination, such as defined above.

BSPR:

The pigments and/or charges are those conventionally employed in cosmetic compositions in the form of compacted powders. The pigments are selected principally from mineral pigments, organic pigments and nacreous pigments.

BSPR:

These pigments can represent, preferably, from 0.1 to 2 weight percent based on the total weight of the cosmetic compacted powder composition.

BSPR:

The cosmetic compacted powder composition of the present invention can also contain other charges or fillers such as talc, starch, kaolin, zinc and titanium oxides, precipitated calcium carbonate, etc.

BSPR:

The fatty phase generally includes fatty bodies which are liquid at ambient temperature and which are present in the cosmetic composition in amounts ranging from 2 to 10 weight percent, preferably 4 to 8 weight percent based on the total weight of the cosmetic composition.

BSPR:

The fatty phase can also contain an oleosoluble synthetic polymer whose use in

cosmetic compositions is known.

BSPR:

The added optional fatty phase represents 0 to 25 weight percent, preferably 3 to 20 weight percent, based on the total weight of the cosmetic composition.

BSPR:

These ingredients can represent up to 5 weight percent based on the total weight of the cosmetic composition.

BSPV:

micas which are aluminosilicates of varied compositions, and which are provided in the form of flakes having a size ranging from 2 to 200 .mu.m, preferably from 5 to 70 .mu.m and a thickness from 0.1 to 5 .mu.m, preferably from 0.2 to 3 .mu.m. The micas can be of natural origin (for example, muscovite, margarite, rescolithe, lipidolithe, biotite), or of synthetic origin. The micas are generally transparent and impart to the skin a satin aspect. Generally, in the cosmetic compositions of the present invention, the micas represent from 20 to 70 weight percent and preferably from 30 to 50 weight percent based on the total weight of the cosmetic composition;

BSPV:

magnesium carbonate or bicarbonate, which possesses principally perfume fixing characteristics; they can be present, in the cosmetic composition of the present invention, in an amount ranging from 1 to 10 weight percent, preferably from 2 to 7 weight percent based on the total weight of the cosmetic composition;

BSPV:

synthetic polymer powders, such as polyethylene, polyesters (for example polyethylene isophthalate or terephthalate) and polyamides (for example, nylon), under the form of particles having a size less than 50 .mu.m, which possess absorbing properties so as to impart to the skin a velvety appearance; these synthetic polymer powders are present in the cosmetic composition of the present invention in an amount ranging from 1 to 40 weight percent, preferably from 10 to 30 weight percent, based on the total weight of the cosmetic composition.

DETL:

	Particulate ingredients	Weight percent
	Mica (Sericite S 152; 44 Presperse,	
Inc. Nylon powder (Orgasol 2002 D- 25 Extra; Lipo Chemical Co.)	N-lauroyl	
lysine (Amihope LL; 15 Centerchem)	Zinc stearate 1	Magnesium carbonate 2
Hexagonal boron nitride 3	Hollow microspheres (Expancel 0.25 551DE20)	Pigments
1.5 Oily Phase Octadodecyl stearate (Ceraphyl 847, Malinckrodt Inc.)	Dioctyl	
maleate 8	Diisostearyl malate	Preservative 0.125
	Perfume 0.125	Total 100.00

CLPR:

1. A homogenization agent for use in the preparation of a cosmetic powder composition in pressed or compact form so as to impart fluidity to said cosmetic powder composition, said homogenization agent consisting of a combination of three components which assist and improve the homogenization of the particulate ingredients of said cosmetic powder composition, said three components being;

CLPR:

6. A cosmetic composition in the form of a compacted powder comprising 1-55 weight percent of a cosmetic ingredient homogenization agent, said homogenization agent consisting of a combination of three components which assist and improve the homogenization of the ingredients of said cosmetic composition, said three components being:

CLPR:

7. The cosmetic composition of claim 6 wherein said cosmetic ingredient

homogenization agent is present in an amount ranging from 10 to 35 weight percent based on the total weight of said cosmetic composition.

CLPV:

y weight percent of particles of hexagonal boron nitride, and

CLPV:

y weight percent of particles of hexagonal boron nitride, and

WEST[Generate Collection](#)**Search Results - Record(s) 1 through 6 of 6 returned.**☐ 1. Document ID: US 6153204 A

L40: Entry 1 of 6

File: USPT

Nov 28, 2000

US-PAT-NO: 6153204

DOCUMENT-IDENTIFIER: US 6153204 A

TITLE: Cosmetic or pharmaceutical preparations with a reduced feeling of stickiness

DATE-ISSUED: November 28, 2000

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Fanger; Sabine	Hamburg	N/A	N/A	DEX
von der Fecht; Stephanie	Schenefeld	N/A	N/A	DEX
Haest; Gertrudis	Leuven	N/A	N/A	BEX
Schneider; Gunther	Hamburg	N/A	N/A	DEX

US-CL-CURRENT: [424/401](#); [424/60](#), [424/64](#), [424/68](#), [424/69](#), [514/938](#), [514/944](#)

Full	Title	Citation	Front	Review	Classification	Date	Reference	Claims	KWIC	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	--------	------	-----------	-------

☐ 2. Document ID: US 5876737 A

L40: Entry 2 of 6

File: USPT

Mar 2, 1999

US-PAT-NO: 5876737

DOCUMENT-IDENTIFIER: US 5876737 A

TITLE: Use of salicin as an anti-irritative active compound in cosmetic and topical dermatological preparations

DATE-ISSUED: March 2, 1999

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Schonrock; Uwe	Nahe	N/A	N/A	DEX
Steckel; Friedhelm	Hamburg	N/A	N/A	DEX
Kux; Ulrich	Urayasu City	N/A	N/A	JPX
Inoue; Kazuo	Naka-Ku	N/A	N/A	JPX

US-CL-CURRENT: [424/401](#); [424/78.03](#)

Full	Title	Citation	Front	Review	Classification	Date	Reference	Claims	KWIC	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	--------	------	-----------	-------

☐ 3. Document ID: US 5788952 A

L40: Entry 3 of 6

File: USPT

Aug 4, 1998

US-PAT-NO: 5788952

DOCUMENT-IDENTIFIER: US 5788952 A

TITLE: Cosmetic and dermatological photoprotective formulations containing inorganic micropigments

DATE-ISSUED: August 4, 1998

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Gers-Barlag; Heinrich	Kummerfeld	N/A	N/A	DEX
Schulz; Sabine	Hamburg	N/A	N/A	DEX

US-CL-CURRENT: 424/59; 424/400, 424/401, 424/60

Full	Title	Citation	Front	Review	Classification	Date	Reference	Claims	KWIC	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	--------	------	-----------	-------

☐ 4. Document ID: US 5725844 A

L40: Entry 4 of 6

File: USPT

Mar 10, 1998

US-PAT-NO: 5725844

DOCUMENT-IDENTIFIER: US 5725844 A

TITLE: Waterproof cosmetic or dermatological photoprotective preparations

DATE-ISSUED: March 10, 1998

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Gers-Barlag; Heinrich	Kummerfeld	N/A	N/A	DEX
Hachmann; Stefan	Norderstedt	N/A	N/A	DEX
Nissen; Bente	Hamburg	N/A	N/A	DEX
Schultz; Sabine	Hamburg	N/A	N/A	DEX

US-CL-CURRENT: 424/59; 424/400, 424/401, 424/47, 424/60, 424/DIG.5, 514/159, 514/241, 514/245, 514/408, 514/532, 514/679, 514/692

Full	Title	Citation	Front	Review	Classification	Date	Reference	Claims	KWIC	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	--------	------	-----------	-------

☐ 5. Document ID: US 5658556 A

L40: Entry 5 of 6

File: USPT

Aug 19, 1997

US-PAT-NO: 5658556

DOCUMENT-IDENTIFIER: US 5658556 A

TITLE: Cosmetic or dermatological preparations comprising hydrophobicized inorganic pigments for preserving the urocaninic acid state of the skin

DATE-ISSUED: August 19, 1997

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Gers-Barlag; Heinrich	Kummerfeld	N/A	N/A	DEX
Schulz; Sabine	Hamburg	N/A	N/A	DEX
Uhlmann; Beate	Hamburg	N/A	N/A	DEX
Hintze; Ulrich	Hamburg	N/A	N/A	DEX
Schmucker; Robert	Hamburg	N/A	N/A	DEX

US-CL-CURRENT: 424/63; 424/401, 424/59

Full	Title	Citation	Front	Review	Classification	Date	Reference	Claims	KWC	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	--------	-----	-----------	-------

☐ 6. Document ID: US 5496565 A

L40: Entry 6 of 6

File: USPT

Mar 5, 1996

US-PAT-NO: 5496565

DOCUMENT-IDENTIFIER: US 5496565 A

TITLE: Microspherules

DATE-ISSUED: March 5, 1996

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Heinze; Friedrich	Frankfurt	N/A	N/A	DEX
Clasen; Martina	Hamburg	N/A	N/A	DEX

US-CL-CURRENT: 424/502; 424/401, 424/489, 424/59, 514/844, 514/919, 514/938, 514/944

Full	Title	Citation	Front	Review	Classification	Date	Reference	Claims	KWC	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	--------	-----	-----------	-------

[Generate Collection](#)

Terms	Documents
(((424/\$)! [CCLS])) and hydrodispersion\$ and emulsion and (diameter)	6

[Display](#)[10](#)Documents, starting with Document: [6](#)

WEST

Generate Collection

L40: Entry 3 of 6

File: USPT

Aug 4, 1998

US-PAT-NO: 5788952

DOCUMENT-IDENTIFIER: US 5788952 A

TITLE: Cosmetic and dermatological photoprotective formulations containing inorganic micropigments

DATE-ISSUED: August 4, 1998

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Gers-Barlag; Heinrich	Kummerfeld	N/A	N/A	DEX
Schulz; Sabine	Hamburg	N/A	N/A	DEX

ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY	TYPE CODE
Beiersdorf AG	Hamburg	N/A	N/A	DEX	03

APPL-NO: 8/ 495641

DATE FILED: August 4, 1995

FOREIGN-APPL-PRIORITY-DATA:

COUNTRY	APPL-NO	APPL-DATE
DE	43 03 983.9	February 11, 1993

PCT-DATA:

APPL-NO	DATE-FILED	PUB-NO	PUB-DATE	371-DATE	102(E)-DATE
PCT/DE94/00041	January 20, 1994	WO94/17779	Aug 18, 1994	Aug 4, 1995	Aug 4, 1995

INT-CL: [6] A61K 7/42, A61K 7/00

US-CL-ISSUED: 424/59; 424/60, 424/400, 424/401

US-CL-CURRENT: 424/59; 424/400, 424/401, 424/60

FIELD-OF-SEARCH: 424/59, 424/60, 424/400, 424/401

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

Search Selected

Search ALL

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
<input type="checkbox"/> <u>5538716</u>	July 1996	Forestier et al.	424/59

ART-UNIT: 127

PRIMARY-EXAMINER: Dodson; Shelly A.

ATTY-AGENT-FIRM: Sprung Kramer Schaefer & Briscoe

ABSTRACT:

Cosmetic and dermatological sunscreen formulations containing

(a) inorganic micropigments as UV filter substances and

(b) optionally additional organic UV filter substances

characterized in that

(c) the formulations are hydrodispersions

(d) which consist of an inner lipid and an outer aqueous phase, and

(e) which are essentially free of emulsifiers, and in that

(f) the inorganic micropigments are incorporated in the lipid phase of the hydrodispersions.

8 Claims, 0 Drawing figures

Exemplary Claim Number: 1

BRIEF SUMMARY:

DESCRIPTION

The present invention relates to cosmetic and dermatological sunscreen preparations, in particular skin-caring cosmetic and dermatological sunscreen preparations.

The damaging effect of the ultraviolet part of solar radiation on the skin is generally known. While rays having a wavelength which is smaller than 290 nm (the so-called UVC range) are absorbed by the ozone layer in the earth's atmosphere, rays in the range between 290 nm and 320 nm, the so-called UVB range, cause erythema, simple sunburn or even more or less severe burns.

The relatively narrow range around 308 nm is indicated as a maximum of the erythema activity of sunlight.

For protection against UVB radiation, numerous compounds are known which are mostly derivatives of 3-benzylidenecamphor, of 4-aminobenzoic acid, of cinnamic acid, of salicylic acid, of benzophenone and also of 2-phenylbenzimidazole.

Even for the range between approximately 320 nm and approximately 400 nm, the so-called UVA range, it is important to have available filter substances, as even its rays can produce damage. It has thus been shown that UVA radiation leads to damage to the elastic and collagenic fibres of the connective tissue, which can prematurely age the skin, and that it is to be regarded as the cause of numerous phototoxic and photoallergic reactions. The damaging effect of the UVB radiation can be increased by UVA radiation.

For protection against the rays of the UVA range, certain derivatives of dibenzoylmethane are therefore used whose photostability (Int. J. Cosm. Science 10, 53 (1988)) is not specified to an adequate extent.

The UV radiation, however, can also lead to photochemical reactions, the photochemical reaction products then intervening in the skin's metabolism.

Mainly, such photochemical reaction products are free-radical compounds, e.g. hydroxyl radicals. Even undefined free-radical photoproducts, which are formed

in the skin itself, can have uncontrolled secondary reactions on account of their high reactivity. However, even singlet oxygen, a non-free-radical excited state of the oxygen molecule, can occur on UV irradiation, just like short-lived epoxides and many others. Singlet oxygen, for example, is distinguished compared with the normally present triplet oxygen (free-radical ground state) by increased reactivity. Of course, excited, reactive (free-radical) triplet states of the oxygen molecule also exist.

UV radiation is further counted as ionizing radiation. There is thus the risk that ionic species are also formed on UV exposure, which then for their part are able to intervene oxidatively in the biochemical processes.

In order to prevent these reactions, antioxidants and/or free-radical scavengers can additionally be incorporated into the cosmetic or dermatological formulations.

Most inorganic pigments are UV absorbers or UV reflectors, which, as is known, are used in cosmetics for the protection of the skin from UV rays. These are oxides of titanium, zinc, iron, zirconium, silicon, manganese, aluminium, cerium and mixtures thereof, and also derivatives.

The inorganic pigments are distinguished by good sunscreen action. However, they have the disadvantage that it is difficult to incorporate them into such formulations in a satisfactory manner.

A further disadvantage of the use of inorganic pigments in cosmetic formulations is that such pigments lead in by far the most cases to severe dryness of the skin.

As the pigment particles have to be efficiently prevented from accumulating to give agglomerates, a certain proportion of emulsifiers or comparable surface-active or interface-active substances always had to be added to the formulations.

Per se, the use of the customary cosmetic emulsifiers is harmless. Nevertheless, emulsifiers, in the end like any chemical substance, can produce allergic reactions or reactions based on hypersensitivity of the user in the isolated case.

Thus, it is known that specific photodermatoses are induced by certain emulsifiers, but also by various fats, and simultaneous exposure to sunlight. Such light dermatoses are also termed "Majorca acne". It was therefore an object of the present invention to develop emulsifier-free sunscreen products.

Emulsifier-free sunscreen preparations based on so-called hydrodispersions have been available to the user for some time.

Hydrodispersions are dispersions of a liquid, semi-solid or solid inner (discontinuous) lipid phase in an outer aqueous (continuous) phase.

In contrast to O/W emulsions, which are distinguished by a similar phase arrangement, hydrodispersions, however, are essentially free of emulsifiers. Hydrodispersions are, otherwise also like emulsions, metastable systems and are inclined to change into a state of two mutually coherent discrete phases. In emulsions, the choice of a suitable emulsifier prevents phase separation.

In the case of hydrodispersions of a liquid lipid phase in an outer aqueous phase, the stability of such a system can be guaranteed, for example, in that in the aqueous phase a gel structure is built up in which the lipid droplets are stably suspended.

Although this type of formulation offers the advantage of freedom from emulsifier compared with the conventional sunscreen formulations, on the other hand there are also some points which need improvement. Thus, for a good sunscreen action of such preparations a comparatively high concentration of UV

filters is necessary. Moreover, such preparations feel sticky in comparison with emulsions and sunscreen oils.

It was therefore a further object to make available sunscreen preparations which are distinguished by a relatively low concentration of UV filters and moreover impart a pleasant skin sensation. Another object of the present invention was to make available non-sticky sunscreen preparations.

It was surprising and unforeseeable for the person skilled in the art that these objects are achieved by cosmetic and dermatological sunscreen formulations containing

(a) inorganic micropigments as UV filter substances and

(b) optionally additional organic UV filter substances

characterized in that

(c) the formulations are hydrodispersions

(d) which consist of an inner lipid and an outer aqueous phase, and

(e) which are essentially free of emulsifiers, and in that

(f) the inorganic micropigments are incorporated in the lipid phase of the hydrodispersions

Sunscreen formulations based on TiO_2 pigments are in fact described in the specifications EP-OS 456 458, EP-OS 456 459 and EP-OS 456 460. Emulsifier-free systems, however, cannot be realized in such a manner. Pigment-containing hydrodispersions of the type according to the invention have also not been disclosed hitherto.

It was surprising and unforeseeable that on following the technical teaching hereby disclosed in every respect extremely satisfactory preparations are obtainable. It was rather to have been expected that the micropigment particles, for lack of an emulsifier, would accumulate to give agglomerates.

It was furthermore surprising that the stickiness of the hydrodispersions can be drastically decreased on following the technical teaching hereby disclosed.

Finally, it was surprising that the use of inorganic pigments in the formulations according to the invention does not lead to severe dryness of the skin, but in contrast causes a lasting, extremely pleasant skin sensation.

Cosmetic and dermatological preparations according to the invention preferably contain inorganic pigments based on metal oxides and/or other poorly water-soluble or -insoluble metal compounds, in particular of the oxides of titanium (TiO_2), zinc (ZnO), iron (e.g. Fe_2O_3), zirconium (ZrO_2), silicon (SiO_2), manganese (e.g. MnO), aluminium (Al_2O_3), cerium (e.g. Ce_2O_3), mixed oxides of the corresponding metals and mixtures of such oxides. They are particularly preferably pigments based on TiO_2 .

A prerequisite for the utilizability of inorganic pigments for the purposes according to the invention is of course the cosmetic or dermatological acceptability of the underlying substances.

For the present invention it is essentially insignificant in which modifications such metal oxides are present. TiO_2 , for example, occurs in nature in three main modifications (rutile, anatase and brookite), which are basically all equally suitable. The same applies to the modifications of the iron oxides etc.

It is advantageous to select particle diameters of the pigments used of less

than 100 nm.

It is particularly advantageous within the meaning of the present invention if the inorganic pigments are present in hydrophobic form, i.e. that they have a surface water-repellent treatment. This surface treatment can consist in providing the pigments with a thin hydrophobic layer according to processes known per se.

Such a process consists, for example, in generating the hydrophobic surface layer according to a reaction

$$n \text{ TiO}_2 + m(\text{RO})_3\text{Si}-\text{R}' \rightarrow n \text{ TiO}_2 (\text{surface})$$

n and m here are stoichiometric parameters to be employed as desired, and R and R' are the desired organic radicals. For example, hydrophobized pigments prepared in analogy to DE-OS 33 14 742 are advantageous.

Advantageous TiO_2 pigments are obtainable, for example, under the trade names MT 100 T from the company TAYCA.

The cosmetic and/or dermatological sunscreen formulations according to the invention can be made up in the customary manner and can be used for cosmetic and/or dermatological protection from the sun and furthermore for the treatment, the care and the cleansing of the skin and/or the hair and as a make-up product in decorative cosmetics.

For use, the cosmetic and dermatological preparations according to the invention are applied to the skin and/or the hair in adequate amounts in the manner customary for cosmetics.

Particularly preferred cosmetic and dermatological preparations are those which are present in the form of a sunscreen composition. These preferably additionally contain at least one UVA filter and/or at least one further UVB filter and/or at least one inorganic pigment.

The cosmetic and dermatological preparations according to the invention can contain cosmetic auxiliaries, such as are customarily used in such preparations, e.g. preservatives, bactericides, perfumes, substances for preventing foaming, colorants, pigments which have a colouring effect, thickeners, moisturizing and/or moisture-retaining substances, fats, oils, waxes or other customary constituents of a cosmetic or dermatological formulation such as alcohols, polyols, polymers, foam stabilizers, electrolytes, organic solvents or silicone derivatives.

The lipid phase can advantageously be selected from the following substance group:

oils, such as triglycerides of capric or of caprylic acid, but preferably castor oil;

fats, waxes and other natural and synthetic fatty substances, preferably esters of fatty acids with alcohols of low C number, e.g. with isopropanol, propylene glycol or glycerol, or esters of fatty alcohols with alkanolic acids of low C number or with fatty acids;

silicone oils such as dimethylpolysiloxanes, diethylpolysiloxanes, diphenylpolysiloxanes and mixtures thereof.

It is particularly preferred to select the components of the lipid phase from the silicone oils group.

The aqueous phase of the preparations according to the invention optionally advantageously contains

alcohols, diols or polyols of low C number, and also their ethers, preferably

ethanol, isopropanol, propylene glycol, glycerol, ethylene glycol, ethylene glycol monoethyl or monobutyl ether, propylene glycol monomethyl, monoethyl or monobutyl ether, diethylene glycol monomethyl or monoethyl ether and analogous products, furthermore alcohols of low C number, e.g. ethanol, isopropanol, 1,2-propanediol, glycerol and, in particular, one or more thickeners which can be advantageously selected from the group consisting of silica, aluminium silicates, polysaccharides or their derivatives, e.g. hyaluronic acid, xanthan gum, hydroxypropyl-methylcellulose, particularly advantageously from the polyacrylates group, preferably a polyacrylate from the so-called Carbopols group, for example Carbopols of the types 980, 981, 1382, 2984, 5984, in each case individually or in combination.

The cosmetic or dermatological sunscreen preparations contain inorganic pigments e.g. in amounts from 0.1% by weight to 30% by weight, preferably in amounts from 0.5% by weight to 10% by weight, but in particular 1% by weight to 6% by weight, based on the total weight of the preparations.

Apart from the inorganic pigments, it is advantageous according to the invention to employ oil-soluble UVA filters and/or UVB filters in the lipid phase and/or water-soluble UVA filters and/or UVB filters in the aqueous phase.

The sunscreen formulations according to the invention can advantageously contain substances which absorb UV radiation in the UVB range, the total amount of the filter substances being e.g. 0.1% by weight to 30% by weight, preferably 0.5 to 10% by weight, in particular 1 to 6% by weight, based on the total weight of the preparations, in order to make available cosmetic preparations which protect the skin from the entire range of ultraviolet radiation. They can also be used as sunscreen agents.

The UVB filters can be oil-soluble or water-soluble. Advantageous oil-soluble UVB filter substances are e.g.:

3-benzylidenecamphor derivatives, preferably 3- (4-methylbenzylidene) camphor, 3-benzylidenecamphor;

4-aminobenzoic acid derivatives, preferably 2 -ethylhexyl 4 -dimethylaminobenzoate, amyl 4 -dimethylaminobenzoate;

esters of cinnamic acid, preferably 2 -ethylhexyl 4-methoxycinnamate, isopentyl 4 -methoxycinnamate;

esters of salicylic acid, preferably 2-ethylhexyl salicylate, 4-isopropylbenzyl salicylate, homomenthyl salicylate;

derivatives of benzophenone, preferably 2-hydroxy-4-methoxybenzophenone, 2-hydroxy-4-methoxy-4'-methylbenzophenone, 2,2'-dihydroxy-4-methoxybenzophenone;

esters of benzylidenemalononic acid, preferably di(2-ethylhexyl) 4-methoxybenzylidenemalonate;

2,4,6-trianilino-(p-carbo-2'-ethyl-1'-hexyloxy)-1,3,5-triazine.

Advantageous water-soluble UVB filter substances are e.g.:

salts of 2-phenylbenzimidazole-5-sulphonic acid such as its sodium, potassium or its triethanolammonium salt, and the sulphonic acid itself;

sulphonic acid derivatives of benzophenones, preferably 2-hydroxy-4-methoxybenzophenone-5-sulphonic acid and its salts;

sulphonic acid derivatives of 3-benzylidenecamphor, such as e.g. 4-(2-oxo-3-bornylidenemethyl)benzenesulphonic acid, 2-methyl-5-(2-oxo-3-bornylidenemethyl)sulphonic acid and its salts.

The list of the UVB filters mentioned, which can be used in combination with the inorganic pigments according to the invention, should obviously be non-limiting.

It can also be advantageous to combine the inorganic pigments according to the invention with UVA filters which to date are customarily contained in cosmetic preparations. These substances are preferably derivatives of dibenzoylmethane, in particular 1-(4'-tert-butylphenyl)-3-(4'-methoxyphenyl)propane-1, 3-dione and 1-phenyl-3-(4'-isopropylphenyl)propane-1,3-dione. These combinations or preparations which contain these combinations are also a subject of the invention. The amounts used for the UVB combination can be employed.

It is furthermore advantageous to combine the inorganic pigments according to the invention with UVA and UVB filters.

The invention also relates to a process for the preparation of the cosmetic and/or dermatological sunscreen preparations according to the invention, which is characterized in that, in a manner known per se, the inorganic pigment is suspended in the preferably liquid lipid phase, in which a thickener has optionally been incorporated, with even stirring and optionally with warming and, if desired, is homogenized, and afterwards the suspension is mixed with the aqueous phase, in which a thickener has optionally been incorporated, and which preferably has approximately the same temperature as the suspension, if desired homogenized and allowed to cool to room temperature. After cooling to room temperature, homogenization can again be carried out, in particular if volatile constituents are additionally to be incorporated.

The present invention also comprises a process for the protection of the skin and the hair from UV radiation, which is characterized in that a cosmetic and/or dermatological sunscreen formulation which contains an effective concentration of inorganic micropigments as UV filter substances and optionally additional organic UV filter substances, the formulations being hydrodispersions which consist of an inner lipid phase and an outer aqueous phase and which are essentially free of emulsifiers, and the inorganic micropigments are incorporated into the lipid phase of the hydrodispersions and applied in an adequate amount to the skin or hair, and the use of these formulations, in particular for these purposes.

The present invention also comprises a process for the protection of colorless or coloured cosmetic or dermatological preparations against UV rays, and also these preparations, characterized in that the preparations contain an effective concentration of inorganic micropigments as UV filter substances and optionally additional organic UV filter substances, the preparations being hydrodispersions which consist of an inner lipid phase and an outer aqueous phase and which are essentially free of emulsifiers, and the inorganic micropigments being incorporated in the lipid phase of the hydrodispersions.

The following examples are intended to illustrate the present invention without restricting it. All quantitative data, proportions and percentages are, if not stated otherwise, based on the weight and the total amount or on the total weight of the preparations.

DETAILED DESCRIPTION:

EXAMPLE 1

Sun gel, sun protection factor 12 % by weight	Phenyltrimethicon 4.50 Carbomer 981 1.50 Octyl methoxycinnamate 7.50 Parsol .RTM. 1789 3.00 TiO.sub.2, particle size <100 nm 4.50 Ethanol 9.00 Glycerol 4.50 Hydroxypropylmethylcellulose 0.30 EDTA solution (14% strength) 0.75 Trisaminopromethamine 2.01 Perfume, preservatives, colorants q.s. Water, demineralized to 100.00
---	---

Example

Sun gel, sun protection factor 12 % by weight
1.50 Octyl methoxycinnamate 7.50 Parsol .RTM. 1789 3.00 TiO.sub.2, particle size <100 nm 4.50 Ethanol 9.00 Butylene glycol 4.50 Hydroxypropylmethylcellulose 0.30 EDTA solution (14% strength) 0.75 Trisaminopromethamine 2.01 Perfume, preservative, colorants q.s. Water, demineralized to 100.00

Example

Sun gel, sun protection factor 12 % by weight
Castor oil 4.50 Carbomer 981 1.50 Octylmethoxycinnamate 7.50 Parsol .RTM. 1789 3.00 TiO.sub.2, particle size <100 nm 4.50 Ethanol 9.00 Butylene glycol 4.50 Hydroxypropylmethylcellulose 0.30 EDTA solution (14% strength) 0.75 Trisaminopromethamine 2.01 Perfume, preservative, colorants q.s. Water, demineralized to 100.00

CLAIMS:

We claim:

1. A cosmetic and dermatological sunscreen formulation comprising

(a) inorganic micropigments, which are hydrophobized on the surface, as UV filter substances and

(b) optionally additional organic UV filter substances

wherein

(c) the formulation is a hydrodispersion

(d) which consist of an inner lipid and an outer aqueous phase, and

(e) which are essentially free of emulsifiers, and in that

(f) the organic micropigments are incorporated in the lipid phase of the hydrodispersion.

2. The formulation according to claim 1, wherein the inorganic micropigments are based on metal oxides and/or another poorly water-soluble or water-insoluble metal compound.

3. The formulation according to claim 2, wherein the inorganic micropigments contains oxides or mixed oxides of metals selected from the group consisting of titanium, zinc, iron, zirconium, silicone, manganese, aluminum, or cerium.

4. The sunscreen formulation according to claim 1, wherein that the aqueous phase of the hydrodispersion contains a thickener.

5. The formulation according to claim 1, wherein the amount of inorganic pigments based upon the total weight of the formulation is 0.01 % by weight to 30% by weight.

6. The formulation according to claim 1, wherein the amount of inorganic pigment based upon the total weight of the formulation is 0.1% by weight to 6% by weight.

7. In a method for protecting the skin from the harmful action of ultraviolet light, the improvement which comprises placing a formulation according to claim

1 on the skin.

8. The formulation according to claim 1, wherein the inorganic micropigment is based upon SiO.sub.2.